

# Sewage Sludge Contents / Tip of Iceberg

Heavy Metals, Pathogens, Synthetic Chemicals, Hydrocarbons, Petrochemicals & Organochlorines, Pharmaceuticals, Steroids & Hormones.

This list of contents represents only the "tip of the iceberg" of toxics concentrated in sewage sludge. Federal and most state and local land application regulations limit concentrations of only nine heavy metals and one "indicator" pathogen in land applied sewage sludge (in **BOLD**).

## Heavy Metals [1, 2]

Aluminum,  
Antimony,  
**ARSENIC**,  
Barium,  
Beryllium,  
Bismuth,  
Boron,  
Bromine,  
**CADMIUM**,  
Cerium,  
Cesium,  
Chromium,  
**COPPER**,  
Cobalt,

Dysprosium,  
Erbium,  
Europium,  
Gadolinium,  
Germanium,  
Gold,  
Hafnium,  
Holmium,  
Iron,  
Lanthanum,  
Lutetium,  
**LEAD**,  
Magnesium,  
Manganese,

**MERCURY**,  
**MOLYBDENUM**,  
**NICKEL**,  
Niobium,  
Palladium,  
Praseodymium,  
Rhodium,  
Rubidium,  
Ruthenium,  
Samarium,  
Scandium,  
**SELENIUM**,  
Silver,  
Strontium,

Tantalum,  
Tellurium,  
Terbium,  
Thallium  
Thorium,  
Thulium,  
Tin,  
Titanium,  
Tungsten,  
Uranium,  
Vanadium,  
Yttrium,  
Ytterbium,  
**ZINC**

## Pathogens [3, 4, 5, 11, 15]

### Bacteria



**FECAL COLIFORM**,  
Salmonella (2,000 types),  
Shigella (4 spp.),  
E. coli 0157:H7,  
Staphylococcus aureus,

Enteropathogenic E. coli,  
Yersinia enterocolitica,  
Campylobacter jejuni,  
Vibrio cholera, Leptospira,  
Listeria, Helicobacter,

Mycobacteria, Aeromonas,  
Legionella, Burkholderia,  
Endotoxins,  
antibiotic resistant bacteria,

### Viruses

Adenovirus, Astrovirus,  
Calciavirus, Coronavirus,  
Enterovirus (Poliovirus),

Coxsackie A, Coxackie B,  
Echovirus, Enterovirus 68-  
72), Hepatitis A virus,

Hepatitis E virus,  
Norwalk virus,  
Reovirus, Rotavirus

### Protozoa

Cryptosporidium,  
Entamoeba histolytica,  
**Helminths** (Parasites)  
Ascaris lumbricoides  
(roundworm),  
Ancylostoma duodenale  
(hookworm), Necator  
americanus (hookworm),

Giardia lamblia,  
Balantidium coli,

Toxoplasma gondii

### Fungi

Aspergillus fumigatus,  
Candida albicans,  
Cryptococcus neoformans,

Epidermophyton spp.,  
Trichophyton spp.,  
Trichosporon spp.,

Phialophora spp.,

**Prions** (spongiform encephalopathy)

While Federal law and regulations limit none of contents below, they allow localities to set more restrictive limits on sewage sludge and soil contamination. Some states do so &/or permit precautionary local control, and others do neither.

Once spread on land, the contaminants above and below persist for centuries - to decades - to months affecting soil, water, plants, air, animals and people.

Unlike pesticides (distinct chemicals subject to specific analysis), sewage sludge is a very complex, variable and concentrated mixture of the vast multitude of unstudied and unregulated hazardous wastes dumped into sewer systems.

## Synthetic Chemicals [2, 6, 7, 8, 9, 12, 16]

### Dioxins & Furans

Dioxins,	2,3,4,6,7,8- Hexachlorodibenzo-Furan,
Octachlorodibenzo-P-Dioxin,	1,2,3,4,7,8,9-Heptachlorodibenzo-Furan,
1,2,3,4,6,7,8-Heptachlorodibenzo-P-Dioxin,	2,3,4,7,8-Pentachlorodibenzo-Furan,
Octachlorodibenzo Furan, 1,2,3,4,6,7,8-	1,2,3,4,7,8- Hexachlorodibenzo-P-Dioxin,
Heptachlorodibenzo-	1,2,3,7,8- Pentachlorodibenzo-Furan,
Furan (71), 2,3,7,8-Tetrachlorodibenzo-Furan,	1,2,3,7,8- Pentachlorodibenzo-P-Dioxin,
1,2,3,6,7,8-Hexachlorodibenzo-P-Dioxin,	1,2,3,7,8,9- Hexachlorodibenzo-Furan,
1,2,3,4,7,8-Hexachlorodibenzo-Furan ,	2,3,7,8- Tetrachlorodibenzo-P-Dioxin,
1,2,3,7,8,9- Hexachlorodibenzo-P-Dioxin,	Polychlorinated Dibenzodioxin/Polychlorinated Di-
1,2,3,6,7,8-	benzofuran (PCDD/PCDF), Tetrahydrofuran, 2,4-
Hexachlorodibenzo-Furan,	D, 2,4,5-T, dioxin (TCDD),

### "Organics" (carbon-based)

Acetone, Chloroform,	2,2'-methylenebis[4-methyl-	N-Tetradecane,
Cyclohexanone,	6- nonyl-Phenol, p-	N-Triacontane,
Bis(2-ethylhexyl) Phthalate,	Nonylphenol, 4,4'-	N-Eicosane, N-Hexadecane,
Bis(2-ethylhexyl)	butylidenebis[2-(1,1-	N-Octacosane,
tetrabromophthalate,	dimethylethyl)-5-methyl-,	Carbon Disulfide,
Di-n-undecyl phthalate,	4-Methylphenol,	N-Decane, N-Docosane,
Alkyl benzyl Phthalate, Di-(2-	Phenol, 4,4'-(1-	N-Octadecane, P-Cymene,
Ethylhexyl) Phthalate	methylethylidene)bis[2-(1,1-	Benzo(B)fluranthene,
(DEHP), Butyl Benzyl	dimeth,	Fluoranthene,
Phthalate, Toluene,	Phenol, 4,4'-(1-	P-Chloroaniline,
2-Propanone,	methylethylidene)bis[2-(1,1-	Pyrene, Tetrachloromethane,
Methylene Chloride,	dimeth,	Trichlorofluoromethane, 2-
Hexanoic Acid,	2,4-dicumylphenol,	Hexanone,
2-Butanone, Methyl Ethyl	p-Dodecylphenol, 2,4,5-	2-Methylnaphthalene,
Ketone, Alcohol Ethoxylate,	Trichlorophenol,	4-Chloroaniline,
Alkylphenoethoxylates,	N-Hexacosane,	Benzo(a)pyrene
Phenol, Nonylphenol,	N-Tetracosane, N-Dodecane,	

### Pesticides & Insecticides

Aldrin, Chlordane,	Acetic Acid (2,4-	Pentachloronitrobenzene,
Cyclohexane, Heptachlor,	Dichlorophenoxy),	Chlorobenzilate, Beta-BHC,
Endosulfan, Endosulfan-II,	2,4,5-	Kepone, Mirex,
Lindane, Dieldrin, Endrin,	Trichlorophenoxypropionic	Methoxychlor,
DDT, DDD, DDE, 2,4,5-	Acid,	
Trichlorophenoxyacetic Acid,		

### PCBs (PolyChlorinated Biphenyls)

PCB-1016,	PCB-1232,	PCB-1248,	PCB-1260
PCB-1221,	PCB-1242,	PCB-1254,	

### PBDEs (PolyBrominated Diphenyl Ethers)

BDE-28,	BDE-85,	BDE-138,	BDE-183,
BDE-47,	BDE-99,	BDE-153,	BDE-209,
BDE-66,	BDE-100,	BDE-154,	

## Hydrocarbons, Petrochemicals, Organochlorines [7, 8, 9, 10, 12, 16]

PCBs, PCT, PBB, PBT,  
Anthracene,  
Pentachlorophenol,  
Benzo(g,h,i)perylene,  
Benzene, Benzene,  
C14-C24-branched,  
Polyethylbenzene  
residue, Octane,  
Hexachlorobenzene,  
Ethylbenzene,

Chlorinated Benzenes,  
Naphtha (petroleum),  
turpentine-oil,  
Hydrotreated kerosene,  
Hydrocarbon oils,  
Hydrocarbons, C10 and  
C12, Distillates  
(petroleum), Fuel oil,  
Creosols, P-Cresol, O-  
Cresol,

2-(2H-Benzotriazol-2-yl)-p-cresol,  
Hexachlorobutadiene,  
N-Nitrosodimethylamine,  
Toxaphene, Trichloroethane,  
Tetrachloroethane, Hexachloroethane,  
Carbon Tetrachloride, Dichloroethylene,  
Trichloroethylene, Tetrachloroethylene,  
Xylene,

## Pharmaceuticals [2, 12, 16]

1,7-Dimethylxanthine,  
4-Epianhydrochlortetracycline,  
4-Epianhydrotetracycline,  
4-Epichlortetracycline,  
4-Epioxytetracycline,  
4-Epitetracycline,  
Acetaminophen,  
Albuterol,  
Anhydrochlortetracycline,  
Anhydrotetracycline,  
Azithromycin,  
Caffeine,  
Carbadox,  
Carbamazepine,  
Cefotaxime,  
Chlortetracycline,  
Cimetidine,  
Ciprofloxacin,  
Clarithromycin,  
Clinafloxacin,  
Cloxacillin,  
Codeine,  
Cotinine,  
Dehydronifedipine,  
Demeclocycline,  
Digoxigenin,

Digoxin,  
Diltiazem,  
Diphenhydramine,  
Doxycycline,  
Enrofloxacin,  
Erythromycin-Total,  
Flumequine,  
Fluoxetine,  
Gemfibrozil,  
Ibuprofen,  
Isochlortetracycline,  
Lincomycin,  
Lomefloxacin,  
Metformin,  
Miconazole,  
Minocycline,  
Naproxen,  
Norfloxacin,  
Norgestimate,  
Ofloxacin,  
Ormetoprim,  
Oxacillin,  
Oxolinic Acid,  
Oxytetracycline,  
Penicillin G,  
Penicillin V,

Ranitidine,  
Roxithromycin,  
Sarafloxacin,  
Sulfachloropyridazine,  
Sulfadiazine,  
Sulfadimethoxine,  
Sulfamerazine,  
Sulfamethazine,  
Sulfamethizole,  
Sulfamethoxazole,  
Sulfanilamide,  
Sulfathiazole,  
Tetracycline,  
Thiabendazole,  
Triclocarban,  
Triclosan,  
Trimethoprim,  
Tylosin,  
Virginiamycin,  
Warfarin,

## Steroids & Hormones [2,12, 16]

17 Alpha-Dihydroequilin,  
17 Alpha-Estradiol,  
17 Alpha-Ethinyl-Estradiol,  
17 Beta-Estradiol,  
Androstenedione,  
Androsterone,  
Beta Stigmastanol,  
Campesterol,  
Cholestanol,

Cholesterol,  
Coprostanol,  
Desmosterol,  
Epicoprostanol,  
Equilenin,  
Ergosterol,  
Estriol,  
Estrone,  
Ethinylestradiol,

Norethindrone,  
Norgestrel,  
Progesterone,  
Stigmasterol, Sitostanol,  
Beta-Estradiol 3-Benzoate,  
Beta-Sitosterol,  
Equilin,  
Testosterone,

“Acceptable” levels of exposure to sewage sludge contaminants are based on obsolete and faulty scientific data and processes. In 2002 and 2010, the National Academy of Sciences and National Institutes of Health established those facts [13, 14].

The risk assessments upon which these levels are based neglected dietary impacts on children; multi-pathway exposure; synergistic impacts; infectious organism exposure; ecological, wildlife, food chain, soil microorganism & forest soil impacts; long-term heavy metal accumulation; and used a cancer risk safety factor 100 times less protective than used for air and water pollution.

#### References:

1. “National Survey of Elements & Other Constituents in Municipal Sewage Sludges”, R. Mumma, et. al. Arch. of Environ. Contam. Toxicol. vol 13, 75-83.
2. Targeted National Sewage Sludge Survey, Statistical Analysis Report, January 2009, U.S. Environmental Protection Agency, Office of Water (4301T), EPA-822-R-08-018 (<http://www.epa.gov/waterscience/biosolids/tncss-stat.pdf>).
3. “Hazards from Pathogenic Microorganisms in Land-Disposed Sewage Sludge” T.M. Straub, I.L. Pepper & C.P. Gerba, Dep't. of Soil & Water Science, U. of Ariz.: Reviews of Environmental Contamination & Toxicology, vol 132, 1993.
4. “Biosolids Applied to Land: Advancing Standards and Practices”, National Research Council, July 2002, Committee on Toxicants and Pathogens in Biosolids Applied to Land, Board on Environmental Studies and Toxicology, Division on Earth and Life Studies, National Research Council, National Academy Press.
5. “Fate of Pathogens During the Sewage Sludge Treatment Process & After Land Application”, J. Smith Jr: Senior Environmental Engineer - EPA Center for Environmental Research Information, Cinn, Ohio, & J.B. Farrel, Consultant, Cinn, Ohio (1998).
6. EPA “Technical Support Document for the Round Two Sewage Sludge Pollutants”, EPA-822-R-96-003, 8-96.
7. NSSS USEPA 1988 “National Sewage Sludge Survey Availability of Information & Data, and Anticipated Impacts on Proposed Regulations; Proposed Rule”; Fed Reg, vol. 55, # 218, 11-9-90, pgs 47210-47283, TABLE I-12.
8. “Land Application of Wastewater Sludge”, American Society of Civil Engineers, 1987, Chapters 1 (Intro) & 7 (“The Health Effects of Land Application of Sludge”).
9. “Land Application of Sewage Sludges”, 1998 CU Recommends From: 1998 Cornell Recommends for Integrated Field Crop management; A Cornell Cooperative Extension Publication, C.U.N.Y.
10. “Biosolids & Sludge Management” U. Krogman, et. al.: Rutgers U. Coop. Ext., Solid Waste Management - Dep't. of Environmental Sciences, N.J., Water Environment Research, vol 69 #4, 6-97.
11. “Pathogen risk assessment methodology for municipal sewage sludge landfilling and surface disposal”, U.S. EPA, 1995, EPA 600/R-95/016.
12. “In silico screening for unmonitored, potentially problematic high production volume (HPV) chemicals prone to sequestration in biosolids”, Center for Environmental Biotechnology, Arizona State University, Journal of Environmental Monitoring, 2010,12.
13. “Biosolids Applied to Land: Advancing Standards and Practices”, National Research Council, National Academy Press, July 2002.
14. “Reducing Environmental Cancer Risk - What We Can Do Now”, President’s Cancer Panel, 2008–2009 Annual Report, National Institutes of Health/National Cancer Institute, April 2010.
15. “National Water Program Research Compendium 2009-2014”, EPA 822-R-08-015, September 30, 2008, US EPA, Office of Water.
16. “Organic chemicals in sewage sludges”, Science of the Total Environment, 367, (2006) 481–497, Cornell Waste Management Institute, Cornell University, 6-5-06.